

@lgood



Cylinders




7618A

Euro profile double cylinder with key operation on both sides.

- Patented 6 pin cylinder with hardened drivers and body insert
- Mushroom type drivers; make aligning of the pins by a picking tool almost impossible
- Available individually keyed or as part of a master key suite to customer requirements
- Independently tested to BS EN 1303



Finishes: SN • PC • PB • BB




7620A

Euro profile single cylinder with key operation on one side only.

- Patented 6 pin cylinder with hardened drivers and body insert
- Mushroom type drivers; make aligning of the pins by a picking tool almost impossible
- Available individually keyed or as part of a master key suite to customer requirements
- Independently tested to BS EN 1303




Finishes: SN • PC • PB • BB



7619A

As above but with key operation on one side and turn on the other.

Finishes: SN • PC • PB • BB





7418A


Euro profile double cylinder with key operation on both sides.

- Patented 6 pin cylinder with hardened drivers and body insert
- Mushroom type drivers; make aligning of the pins by a picking tool almost impossible
- Available individually keyed or as part of a master key suite to customer requirements
- Independently tested to BS EN 1303
16010C62
- Incorporated in successful fire test and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 90 minutes on timber doors and 120 minutes on metal doors

Variations (mm)

	V	W
a	63	31.5 (standard)
b	71	35.5
c	80	40

Finishes: SN (XX7418NA) • PC



7419A


Euro profile double cylinder with key operation on one side and unique Allgood turn on the other.

- Patented 6 pin cylinder with hardened drivers and body insert
- Mushroom type drivers; make aligning of the pins by a picking tool almost impossible
- Available individually keyed or as part of a master key suite to customer requirements
- Independently tested to BS EN 1303
16010C62
- Incorporated in successful fire test and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 90 minutes on timber doors and 120 minutes on metal doors

Variations (mm)

	V	W
a	63	31.5 (standard)
b	71	35.5
c	80	40

Finishes: SN (XX7419NA) • PC





7420A


Euro profile single cylinder with key operation on one side only.

- Patented 6 pin cylinder with hardened drivers and body insert
- Mushroom type drivers; make aligning of the pins by a picking tool almost impossible
- Available individually keyed or as part of a master key suite to customer requirements
- Independently tested to BS EN 1303
160110C62
- Incorporated in successful fire test and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 90 minutes on timber doors and 120 minutes on metal doors

Variations (mm)

	V	W
a	41.5	31.5 (standard)
b	45.5	35.5
c	50	40

Finishes: SN (XX7420NA) • PC



7447APR


Euro profile single cylinder with unique Allgood turn only.

- Patented 6 pin cylinder with hardened drivers and body insert
- Independently tested to BS EN 1303
160110C62
- Incorporated in successful fire test and assessed to BS EN 1634-1 and BS 476 Pt 22 up to 90 minutes on timber doors and 120 minutes on metal doors

Variations (mm)

	V	W
a	41.5	31.5 (standard)
b	45.5	35.5
c	50	40


Finishes: SN (XX7447NAPR) • PC



7493A

Construction cylinder for use with euro profile locks during construction phase to prevent misuse and loss of keys.

Finish: XX



7494

Temporary cylinder and turn

Finish: XX

7495

Temporary half cylinder

Finish: XX



overseas projects

Allgood Worldwide

297 Euston Road
London NW1 3AQ
Telephone: +44 (0)20 7255 9330
Facsimile: +44 (0)20 7383 7950
E-mail: info@allgoodww.com
Website: www.allgoodww.com

uk projects

Allgood plc

297 Euston Road
London NW1 3AQ
Telephone: 020 7387 9951
Facsimile: 020 7380 1232
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk

63-83 Brearley Street
Birmingham B19 3NT
Telephone: 0121 359 4415
Facsimile: 0121 359 5832
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk

28 Queen Street
Manchester M2 5HX
Telephone: 0161 834 6717
Facsimile: 0161 834 6839
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk

The Wright Business Centre
1 Lonmay Road, Glasgow G33 4EL
Telephone: 0141 773 6298
Facsimile: 0141 771 9569
E-mail: info@allgood.co.uk
Website: www.allgood.co.uk